WPM-6806N

Model No. WPM-6806N



SPECIFICATIONS

	WPM-6806N
	1-7
	0.1-50
	9
	0.01
	700-1200
	AC220V/50 Hz, AC110V/60 Hz
	30

WPM-6806N 1 mm 7 mm 0.1-50 mm 0.01 mm 700-1200 30 kg AC 220 V/50 Hz AC 110 V/60 Hz

0.01 mm

WPM-0.5-10MM2 0.5-10 mm WPM-1-6 1-6 mm2 6806N

1.

2. 0.01 mm

3. 0.1 mm 50 mm

4. 1-7 mm

5. PVC

6. 700-1200 30 kg AC 220 V/50 Hz AC 110 V/60 Hz

[illegible]

[illegible]	[illegible]
[illegible]	WPM-6806N
[illegible]	[illegible]
[illegible]	1-7 mm
[illegible]	0.1-50 mm
[illegible]	9 [illegible]
[illegible]	0.01 mm
[illegible]	[illegible]
[illegible]	700-1200 pcs/h
[illegible]	AC 220 V/50 Hz, AC 110 V/60 Hz
[illegible]	30 kg
[illegible]	[illegible]
[illegible]	[illegible]

[illegible]


— [illegible]RF [illegible] [illegible] RG [illegible] [illegible] BNC, SMA [illegible] F


— [illegible] [illegible] [illegible]

— [illegible] [illegible]

— [illegible] [illegible] 1-7 mm [illegible] 700-1200 pcs/h [illegible]

— [illegible] [illegible] [illegible]



COAXIAL CABLE STRIPPING MACHINE
THE STRIPPING RANGE IS 0.8MM–7MM, WHICH CAN STRIP
ALL KINDS OF COAXIAL CABLES, AUTOMOTIVE CABLES, MEDICAL CABLES, ETC.


power switch
emergency stop switch
touch screen
start key
clamp wire device
rotating knife holder
cooling fan
pedal interface
power interface
Tracheal interface











Coaxial cable stripping
maching4806
China
English








semi automatic coaxial wire stripping machine

Model	WPM-2515
Display	English 95mm*50mm touch screen
Power supply	AC220V/110V 50/60HZ
Power	630W
Process wire diameter	ϕ3-25mm
Cutting depth set unit	0.01mm
Max. stripping layers	9 layers
Dimensions	920*220*400mm
Drive mode	Motor/ ball screw drive
Stripping mode	Rotary blade
Blade material	Tungsten steel
Weight	45KG
Working environment	-5 - 45 celsius dry and vibration free table
Application wire	Coaxial cable wire, auto cable
Storage	99 processing data
Stripping length	0.1mm-150mm




WPM-3515 fully automatic coaxial cable stripping machine

Model	WPM-3515
Display	English touch screen
Power supply	AC220V 50/60HZ
Power	1000W
Process wire diameter	8-35mm
Cutting depth set unit	0.01mm
Max. stripping layers	9 layers
Dimensions	1040*280*550mm
Weight	60KG
Production	200-500pcs/H
Max. stripping length	150mm

Product description

The series are designed for thick wires, like cable of New power source charging gun with the requirement of high precision of wire stripping. wire stripping section is neat and perfect, scratch free on the inner layer.









semi automatic coaxial wire stripping machine

Model	WPM-8608
Display	English 95mm*50mm touch screen
Power supply	AC220V/110V 50/60HZ
Power	600W
Process wire diameter	ϕ3.0-18mm
Cutting depth set unit	0.01mm
Max. stripping layers	9 layers
Dimensions	720*230*350mm
Drive mode	Motor/ ball screw drive
Stripping mode	Rotary blade
Blade material	Tungsten steel
Weight	40KG
Working environment	-5 - 45 celsius dry and vibration free table
Application wire	Coaxial cable wire
Storage	99 processing data
Stripping length	0.1-90mm

WPM-4520

WPM-5010

JL-620-9800

WPM-9600S

FAQ

JINGWEI WPM-6806N

WPM-6806N

WPM-6806N

JINGWEI WPM-6806N

WPM-6806N

RG58, RG174) JINGWEI

JINGWEI

WPM-6806N

□□□