0-20 mm WPM-330

Model No. WPM-330



SPECIFICATIONS

	330 mm
	0-20mm
	0.5-0.7MPa
	220V / 50 Hz 110V / 60 Hz
	84-196KG
	65KG
	L1100 * W550 * H450mm

WPM-330 0 20 mm 330 mm WPM 84–196 kgf 0.5–0.7 MPa 220 V/50 Hz 110 V/60 Hz

WPM-330 330 mm

330 WPM-315 0–20 mm 65 kg 1100 × 550 × 450 mm 84–196 kgf 315 150 mm 330 330 mm WPM-416 30 mm 150 mm

1. 330 mm 0–20 mm 150 mm WPM-315
2. 330 mm
3. 84–196 kgf 0.5–0.7 MPa
4.
5. 1100 × 550 × 450 mm 65 kg 315
6. 220 V/50 Hz 110 V/60 Hz

[illegible]

[illegible]	[illegible]
[illegible]	WPM-330
[illegible]	[illegible]
[illegible]	0–20 mm
[illegible]	330 mm
[illegible]	0.5–0.7 MPa
[illegible] / [illegible]	84–196 kgf
[illegible]	220 V/50 Hz, 110 V/60 Hz
[illegible]	[illegible]100 × [illegible]50 × [illegible]50 mm
[illegible]	65 kg

[illegible]

[illegible] [illegible] [illegible] [illegible]

[illegible]	WPM-305	WPM-310	WPM-315	WPM-330	WPM-416
[illegible]	1–5 mm	1–10 mm	1–15 mm	**1–20 mm**	1–30 mm
[illegible]	3–50 mm	3–100 mm	3–150 mm	**3–330 mm**	3–150 mm
[illegible]	Ø40	Ø50	Ø60	**Ø60**	Ø80
[illegible]	31–37 kg	49–115 kg	84–196 kg	**84–196 kg**	165–300 kg
[illegible]	220 V	220 V	220 V	**220 V**	220 V
[illegible] ([illegible]× [illegible]× [illegible])	40×30×27 cm	48×33×28 cm	60×42×36 cm	**110×55×45 cm**	80×62×55 cm
[illegible]	20 kg	25 kg	35 kg	**65 kg**	50 kg
[illegible]	[illegible]				

[illegible]

— [illegible]: [illegible] 300 mm [illegible] 10–20 mm [illegible]


— [illegible]: [illegible]

— [illegible]: [illegible]

— [illegible]: [illegible] 25–35 mm² [illegible]

— [illegible]: [illegible]








Adjusting The Master Cylinder

Main cylinder mainly used to adjust the stripping length, reciprocating double intake, more rapid action.



Adjusting Cylinder

Cylinder for adjusting the distance of theblade and the fast distance of the clamping line.



Stripping Processing Area

Applicable to different size of wire, easy to operate and good stripping effect



Barometer

The record shows the air pressure value during processing, simple structure, small range and high accuracy.

Application



Application



FAQ

JINGWEI WPM-330 ?

JINGWEI WPM-330

JINGWEI

WPM-330

WPM-330 0.5 30 (WPM-330

JINGWEI WPM-330

WPM-330 (0.5-0.7 MPa) JINGWEI WPM-330

JINGWEI

JINGWEI WPM-330 (JINGWEI