[illegible]100 [illegible] [illegible]0-15 [illegible] WPM-310

Model No. WPM-310



SPECIFICATIONS

[illegible]	100 [illegible]
[illegible]	0-15 [illegible]
[illegible]	0.35-0.75 MPa
[illegible]	220V / 110V / 50Hz / 60Hz
[illegible]	49-115 KG
[illegible]	25 KG
[illegible]	L480 × W330 × H280 mm

[illegible]100 [illegible] **WPM-310** [illegible]

[illegible]

[illegible] **WPM-310** [illegible] WPM-310 [illegible] WPM-310 [illegible] DIY [illegible]

[illegible]

- **[illegible]** [illegible]
- **[illegible] ([illegible] 0-15 [illegible]) [illegible]** WPM-310 [illegible] 0 [illegible] 15 [illegible]
- **[illegible]** [illegible]
- **[illegible]** [illegible]

- [illegible] WPM-310 [illegible]
- [illegible]
- [illegible] WPM-310 [illegible]
- [illegible]
- [illegible]
- [illegible] WPM-310 [illegible] AC/DC [illegible]
- [illegible]
- [illegible]

[illegible]:

[illegible]	[illegible]
[illegible]	[illegible]310
[illegible]	[illegible]
[illegible]	[illegible], [illegible]
[illegible]	100 [illegible]
[illegible]	0-15 [illegible]
[illegible]	0.35-0.75 [illegible]
[illegible]tag [illegible]	220V / 110V / 50HZ / 60HZ
[illegible](Clamping)	49-115 [illegible]
[illegible]	25 [illegible]
[illegible](LWH)	L480W330H280 [illegible]
[illegible]	[illegible], [illegible]
[illegible]	[illegible], [illegible], [illegible], [illegible] [illegible]
[illegible]	[illegible]AC/DC, [illegible], [illegible], [illegible]/[illegible], [illegible], [illegible], [illegible]

[illegible]:

WPM-310

- :
- :
- :
- :
- :
- • :
- :

:

WPM-310

3.

	1 - 5	1 - 10	1 - 15	1 - 20	1 - 30
	3 - 50	3 - 100	3 - 150	3 - 330	3 - 150
	Ø40	Ø50	Ø60	Ø60	Ø80
	31-37	49-115	84-196	84-196	165-300
	220	220	220	220	220
	40×30×27	48×33×28	60×42×36	110×55×45	80×62×55
	20	25	35	65	50

FAQ

WPM-310 ?

WPM-310

WPM-310

WPM-310 JINGWEI

WPM-310

WPM-310

JINGWEI WPM-310

JINGWEI WPM-310?

JINGWEI