1.5 30 mm WPM-1500S

Model No. WPM-1500S



SPECIFICATIONS

	1.5
	30
	AC220V 550W
	AC110V / 220V 50 / 60 Hz
	290 * 290 * 600
	50

WPM-1500S 1.5 30 mm 550 W AC 220 V 290 x 290 x 600 mm 50 kg

S 1500S 30 mm 2000S, 3000S 4000S 290 mm 50 kg 4 3000S 40 mm

1. 1.5
2. 30 mm 2000S, 3000S 4000S
3. 550 W AC 220 V 50/60 Hz
4.
5.
6.

[illegible]

[illegible]	[illegible]
[illegible]	WPM-1500S
[illegible]	1.5 [illegible]
[illegible]	30 mm
[illegible]	[illegible]AC220V 550W
[illegible]	AC110V/220V 50/60Hz
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	290 x 290 x 600 mm
[illegible]	50 kg

[illegible]

[illegible] [illegible] 1 t [illegible] 8 t [illegible] [illegible] [illegible] [illegible]

[illegible]	WPM-1000S	WPM-1500S	WPM-2000S	WPM-3000S	WPM-4000S	WPM-8000S
[illegible]	1,000 kg	**1,500 kg**	2,000 kg	3,000 kg	4,000 kg	8,000 kg
[illegible]	0.35 kW	**0.55 kW**	0.75 kW	1.1 kW	1.5 kW	1.5 kW
[illegible]	26 kg	**38 kg**	45 kg	49 kg	89 kg	99 kg
[illegible]([illegible]× [illegible]× [illegible])	218×188×460 mm	**410×410×770 mm**	410×410×770 mm	430×510×770 mm	430×620×770 mm	430×620×770 mm

[illegible]

— [illegible] [illegible] [illegible] [illegible] [illegible]

— [illegible] [illegible]

— [illegible] [illegible]

— [illegible] [illegible]

— [illegible]

FAQ

[illegible]WPM-1500S [illegible] [illegible]?

WPM-1500S [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]?

[illegible]1.5 [illegible]30 [illegible] [illegible] AC220V [illegible] [illegible]

[illegible]?

[illegible] [illegible]WPM-1500S [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]?

[illegible]1.5 [illegible]30 [illegible] WPM-1500S [illegible] [illegible] [illegible] [illegible] [illegible]