□□□□

6. [illegible]

[illegible]

[illegible]	[illegible]
[illegible]	WPM-X00
[illegible]	[illegible]
[illegible]	20 kHz
[illegible]	3000 W
[illegible]	0.35-12 mm² [illegible] / [illegible]
[illegible]	0.3 mm [illegible]
[illegible]	[illegible] 0.6 [illegible]
[illegible]	[illegible] LCD 4.3 [illegible]
[illegible]	AC 220 V / 50 Hz
[illegible] / [illegible]	573 x 220 x 190 mm / 25 kg
[illegible] / [illegible]	345 x 477 x 155 mm / 10 kg

[illegible]


— [illegible] [illegible]


— [illegible] HVAC: [illegible]


— [illegible] [illegible]


— [illegible] [illegible] Cu-Al [illegible]

— [illegible] [illegible]




transducer
Emergency stop
Luffing rod
Hand push valve
Press block
Welding head
Right slider
Right top block
Pressure regulating valve
Left slider




Auto industry


> Healthcare <


> Battery industry <>


> Home appliance industry


> Aerospace <


> Data transmission <

FAQ

WPM-X00 ?

WPM-X00 0.35mm² 12mm²

?

WPM-X00 0.6

WPM-X00 ?

20KHz 3000W

?

WPM-X00

?

WPM-X00 .