
16-150 mm² WPM-09MAX3

Model No. JW-ST01



SPECIFICATIONS

	WPM-09MAX3
	16-150.0 mm²
	25mm
	0-100
	0-100
	1mm-350m

WPM-09MAX3 16 150 mm2 25 mm 1 mm 350 m 100 mm 100 mm 0.002 x L 1,500-2,000 2,000 W

35 mm2 09MAX3 16 350 m 16-150 mm2 PVC 2,000 W

09MAX3 WPM-30-300 09MAX3 16-150 mm2 1,500-2,000 350 m WPM-30-300 300 mm2 1,000 mm 4-30 mm2 WPM-30HT WPM-YHT2

1. 16-150 mm2 25 mm 16 mm2 150 mm2

2. 16 150 mm2 350 m

3. 1 mm 350 m 30 mm 100 m 6 m

4. 0 100 mm 90 mm 20 mm

5. 0.002 x L 2,000 mm 4 mm

6. 2,000 W PVC 16 150 mm2

[illegible]

[illegible]	[illegible]
[illegible]	WPM-09MAX3
[illegible]	[illegible]
[illegible]	16-150 mm2
[illegible]	25 mm
[illegible]	1 mm-350 m
[illegible]	[illegible](0.002 x L)
[illegible](mm)	0-100 mm
[illegible](mm)	0-100 mm
[illegible]	1,500-2,000 [illegible]/[illegible]
[illegible]	LCD [illegible]/[illegible]
[illegible]	[illegible]16 [illegible]
[illegible]	[illegible]
[illegible]	[illegible]PVC [illegible]
[illegible]	220 V/50 Hz, 110 V/60 Hz
[illegible]	2,000 W

[illegible]

— [illegible]. [illegible]35-95 mm2 [illegible]1,200-2,500 mm [illegible]25-35 mm [illegible]

— [illegible]. [illegible]16-70 mm2 [illegible]

— [illegible]DC [illegible]95-150 mm2 [illegible]40 mm [illegible]

— [illegible]25-120 mm2 [illegible]100 m [illegible]3 m [illegible]6 m [illegible]

— [illegible]. [illegible]16-50 mm2 [illegible]

FAQ

[illegible]WPM-09MAX3 [illegible]?

WPM-09MAX3 [illegible] 16mm² [illegible] 150mm² [illegible]

[illegible]?

[illegible] [illegible] [illegible](PTFE) [illegible] [illegible](PVC) [illegible]

[illegible]WPM-09MAX3 [illegible]?

[illegible] ±0.002mm [illegible]

□□□□