WPM-078H

Model No. WPM-078H



SPECIFICATIONS

[illegible]	WPM-078H
[illegible]	0.3-2.5sqmm, AWG28-AWG14
[illegible]	45-3000 [illegible]
[illegible]	0.5 [illegible]+ [illegible]x0.2%
[illegible]	0.5-8 [illegible]
[illegible]	30 [illegible](40 [illegible]
[illegible]	5-6 kgf
[illegible]	AC220V/50-60Hz
[illegible]	2000-3000 [illegible]/[illegible]

[illegible]

[illegible], [illegible], [illegible]

[illegible]

[illegible]

[illegible]AC220v / 50 / 60hz

[illegible], [illegible], [illegible], [illegible]/ [illegible]

[illegible]2000 [illegible]- 3000 [illegible]/ [illegible](L = 150 [illegible]) [illegible]

[illegible]0.3 ~ 2.5sqmm, AWG28 # -AWG14 # [illegible]

[illegible]45-3000 [illegible]([illegible]

[illegible]0.5 [illegible]+ [illegible]x0.2%

[illegible]0.5-8 [illegible]([illegible], [illegible]

[illegible], [illegible]DTP, [illegible]

[illegible]30 [illegible](40 [illegible])

[illegible]5-6kgf

[illegible]











Product Images



FAQ

WPM-078H

WPM-078H

WPM-078H

WPM-078H 0.3 2.5 45 3000

WPM-078H 2000 3000

WPM-078H

WPM-078H

WPM-078H (45-3000